


# BASELYTE-10 TRIMLESS

LED profile for spackling with a continuous line of light




- Economic series
- Invisible aluminum elements
- Fits into the thickness of the plasterboard 12,5 mm
- Accessories compatible with the BASELYTE-10 family
- Dimensions consistent with the BASELYTE-10 HIGH profile




## BASELYTE-10 TRIMLESS

material	aluminium
height	13,5 mm
width	52,8 mm
recommended LED strip width	10 mm
installation	recessed for spackling
type of lighting	architectural, zone, decorative
continuous line of light	from 120 P/m (details on the following pages)
lighting at an angle	-
possible IP of LED luminaire	20



\*recommended LED strip width


An ideal architectural solution thanks to the ease of achieving a continuous line of light and combining it with BASELYTE-10 HIGH surface profile.



# BASELYTE-10 TRIMLESS

NEW

AVA  
L I G H T




- 1 Profile LED BASELYTE-10 TRIMLESS  
Profil LED BASELYTE-10 TRIMLESS
- 2 Diffuser LED D01  
Dyfuzor LED D01
- 3 End cap BASELYTE-10 HIGH / TRIMLESS without hole  
Zaślepka BASELYTE-10 HIGH / TRIMLESS bez otworu
- 4 LED strip  
Taśma LED


## Available colours and lengths

### Profile LED BASELYTE-10 TRIMLESS

length / colour	raw aluminium
2.030 mm	P01121_R2
3.030 mm	P01121_R3



Take advantage of the impeccable BASELYTE-10 TRIMLESS profile effect and the convenience of compatible accessories



**Do you need a technical cover to protect the profile during installation?**  
Contact us at [info@avalight.pl](mailto:info@avalight.pl)

AVA  
L I G H T

AVA LIGHT Sp. z o.o.

Ul. Staszica 40T/4, 05-500 Piaseczno, Poland | NIP 123-15-75-215 | [www.avalight.pl](http://www.avalight.pl)

Warehouse / Magazyn: ul. Puławska 38, 05-500 Piaseczno, Poland




# BASELYTE-10 TRIMLESS

NEW



Accessories

Diffuser LED D01				
length / colour	transparent	NEW	opal	black
2,030 mm	D01200_T2		D01200_O2	D01200_B2
3,030 mm	D01201_T3		D01201_O3	D01201_B3
9,09 m roll	-		D01202_OR9	D01202_BR9
15,15 m roll	-		D01203_OR15	D01203_BR15

Continuous line of light in BASELYTE-10 HIGH

LED strip	Diffuser LED D01		
	transparent	opal	black
120 P/m (2210 lm/m)			
192 P/m (1799 lm/m)			
240 P/m (2800 lm/m)			
420 P/m (2301 lm/m)			
COB (950 lm/m)			
COB (1425 lm/m)			

- continuous line of light, smooth effect
- line through the center or barely visible points
- widoczne p. visible points unktly

Looking for a matching LED strip?  
Contact us at [info@avalight.pl](mailto:info@avalight.pl)




End caps BASELYTE-10 HIGH / TRIMLESS (20 pcs.)			
type / colour	gray	black	white
without hole	E309D01_G	E311D01_B	E310D01_W

Similar in the offer

BASELYTE-10 HIGH

BASELYTE-10 LOW

BASELYTE-10 LOW-IN



AVA LIGHT Sp. z o.o.

Ul. Staszica 40T/4, 05-500 Piaseczno, Poland | NIP 123-15-75-215 | [www.avalight.pl](http://www.avalight.pl)

Warehouse / Magazyn: ul. Puławska 38, 05-500 Piaseczno, Poland



# We shape the light

## Ubieramy światło



---

**AVA LIGHT Sp. z o.o.**  
Ul. Staszica 40T/4  
05-500 Piaseczno  
Poland  
NIP 123-15-75-215

**Warehouse / Magazyn:**  
ul. Puławska 38  
05-500 Piaseczno  
Poland



[www.avalight.pl](http://www.avalight.pl)