


BASELYTE-10 LOW-IN

Economic recessed LED profile for basic applications




- Economic series
- Low, subtle recessed LED profile
- Installation with glue, screws, tape or mounting plates



BASELYTE-10 LOW-IN

material	aluminium
height	7,8 mm
width	21,0 mm
recommended LED strip width	10 mm
installation	recessed (with glue, screws, mounting tape or mounting plate)
installation space dimensions	16 x 7 mm (glue, screw or mounting tape)
type of lighting	furniture, zone, decorative
continuous line of light	with COB LED strip
lighting at an angle	-
possible IP of LED luminaire	20



BASELYTE-10 LOW-IN
LED profile for a subtle
effect in furniture lighting
with no protruding elements




AVA LIGHT Sp. z o.o.

Ul. Staszica 40T/4, 05-500 Piaseczno, Poland | NIP 123-15-75-215 | www.avalight.pl


Warehouse / Magazyn: ul. Puławska 38, 05-500 Piaseczno, Poland

BASELYTE-10 LOW-IN



Available colours and lengths _____

Profile LED BASELYTE-10 LOW-IN				
length / colour	raw aluminium	silver anode	black anode	white painted
2.030 mm	P01117_R2	P01118_A2	P01119_B2	P01120_W2
3.030 mm	P01117_R3	P01118_A3	P01119_B3	P01120_W3



BASELYTE-10 LOW-IN



Accessories

Diffuser LED D01		
length / colour	opal	black
2.030 mm	D01200_O2	D01200_B2
3.030 mm	D01201_O3	D01201_B3
9 m reel	D01202_OR9	D01202_BR9
15 m reel	D01203_OR15	D01203_BR15


End caps BASELYTE-10 LOW-IN (20 pcs.)			
type / colour	gray	black	white
with hole	E312D01_GH	E314D01_BH	E313D01_WH

Mounting plate BASELYTE-10		
silver	black	white
AMP_405_10S	AMP_405_10B	AMP_405_10W

Steel cable suspension		
silver	black	white
AS-403_2S	AS-403_2B	AS-403_2W

Similar in the offer

BASELYTE-10 LOW



AVA LIGHT Sp. z o.o.

Ul. Staszica 40T/4, 05-500 Piaseczno, Poland | NIP 123-15-75-215 | www.avalight.pl

Warehouse / Magazyn: ul. Puławska 38, 05-500 Piaseczno, Poland