


BASELYTE-10 LOW

Economic surface LED profile for all-purpose application




- Economic series
- All-purpose application
- Low, subtle surface LED profile
- Click-in mounting plates
- Surface or suspended installation



BASELYTE-10 LOW


material	aluminium
height	7,8 mm
width	14,8 mm
recommended LED strip width	10 mm
installation	surface (click-in, for screws or mounting tape), suspended
type of lighting	furniture, zone, decorative
continuous line of light	with COB LED strip
lighting at an angle	-
possible IP of LED luminaire	20



The small size of the BASELYTE-10 LOW allows for optimal illumination of narrow spaces and easy hiding of the LED profile.




BASELYTE-10 LOW



Available colours and lengths _____

Profile LED MAGLYTE-10				
length / colour	raw aluminium	silver anode	black anode	white painted
2.030 mm	P02109_R2	P02110_A2	P02111_B2	P02112_W2
3.030 mm	P02109_R3	P02110_A3	P02111_B3	P02112_W3



BASELYTE-10 LOW



Accessories

Diffuser LED D01		
length / colour	opal	black
2.030 mm	D01200_O2	D01200_B2
3.030 mm	D01201_O3	D01201_B3
9 m rolka	D01202_OR9	D01202_BR9
15 m rolka	D01203_OR15	D01203_BR15


End caps BASELYTE-10 LOW (20 pcs.)			
type / colour	gray	black	white
without hole	E306D01_G	E308D01_B	E307D01_W

Mounting plate BASELYTE-10		
silver	black	white
AMP_405_10S	AMP_405_10B	AMP_405_10W


Steel cable suspension		
silver	black	white
AS-403_2S	AS-403_2B	AS-403_2W

Similar in the offer

BASELYTE-10 LOW-IN



BASELYTE-10 HIGH



MAGLYTE-10

